

# HEXAGONAL DIES

## 40 TYPE



## MW TYPE



### Hexagonal Dies & MW Dies For CO-400

| For Standard Copper Terminal |       | For DIN 46235 Copper Terminal |       | For DIN 48201 Aluminum Terminal |          | MW Type For Standard Copper |       |
|------------------------------|-------|-------------------------------|-------|---------------------------------|----------|-----------------------------|-------|
| Dies No.                     |       | Dies No.                      |       |                                 | Cord No. | Dies No.                    |       |
| B4035                        | CU35  | D4035                         | CU35  | AL25                            | K12      | MW4035                      | CU35  |
| B4050                        | CU50  | D4050                         | CU50  | AL35                            | K14      | MW4050                      | CU50  |
| B4070                        | CU70  | D4070                         | CU70  | AL50                            | K16      | MW4070                      | CU70  |
| B4095                        | CU95  | D4095                         | CU95  | AL70                            | K18      | MW4095                      | CU95  |
| B40120                       | CU120 | D40120                        | CU120 | AL95                            | K20      | MW40120                     | CU120 |
| B40150                       | CU150 | D40150                        | CU150 | AL120                           | K22      | MW40150                     | CU150 |
| B40185                       | CU185 | D40185                        | CU185 | AL150                           | K25      | MW40185                     | CU185 |
| B40240                       | CU240 | D40240                        | CU240 | AL185                           | K28      | MW40240                     | CU240 |
| B40300                       | CU300 | D40300                        | CU300 | AL240                           | K32      | MW40300                     | CU300 |
| B40400                       | CU400 | D40400                        | CU400 | AL300                           | K38      | MW40400                     | CU400 |
| B40500                       | CU500 |                               |       |                                 |          |                             |       |

## 60 TYPE



## 100 TYPE



### Hexagonal Dies For CO-630

| For Standard Copper Terminal |       | For DIN 46235 Copper Terminal |       | For DIN 48201 Aluminum Terminal |          |
|------------------------------|-------|-------------------------------|-------|---------------------------------|----------|
| Dies No.                     |       | Dies No.                      |       |                                 | Cord No. |
| B6070                        | CU70  | D6070                         | CU70  | AL50                            | K16      |
| B6095                        | CU95  | D6095                         | CU95  | AL70                            | K18      |
| B60120                       | CU120 | D60120                        | CU120 | AL95                            | K20      |
| B60150                       | CU150 | D60150                        | CU150 | AL120                           | K22      |
| B60185                       | CU185 | D60185                        | CU185 | AL150                           | K25      |
| B60240                       | CU240 | D60240                        | CU240 | AL185                           | K28      |
| B60300                       | CU300 | D60300                        | CU300 | AL240                           | K32      |
| B60400                       | CU400 | D60400                        | CU400 | AL300                           | K38      |
| B60500                       | CU500 | D60500                        | CU500 | AL400                           | K42      |
| B60630                       | CU630 | D60630                        | CU600 | AL500                           | K44      |
| B60800                       | CU800 | D60800                        | CU800 | AL630                           | K52      |

### Hexagonal Dies For CO-1000

| For Standard Copper Terminal |        | For DIN 46235 Copper Terminal |        | For DIN 48201 Aluminum Terminal |          |
|------------------------------|--------|-------------------------------|--------|---------------------------------|----------|
| Dies No.                     |        | Dies No.                      |        |                                 | Cord No. |
| B100400                      | CU400  | D100400                       | CU400  | AL300                           | K38      |
| B100500                      | CU500  | D100500                       | CU500  | AL400                           | K42      |
| B100630                      | CU630  | D100630                       | CU630  | AL500                           | K44      |
| B100800                      | CU800  | D100800                       | CU800  | AL630                           | K52      |
| B1001000                     | CU1000 | D1001000                      | CU1000 | AL800                           | K58      |

## R30 TYPE

### Hexagonal Dies

#### Suitable Models

TP-400 & TP-400H / TP-300 & TP-300H  
 TP-240 & TP-240H / TP-600 & TP-600H  
 TP-800 & TP-800H / TP-900 & TP-900H  
 TP-413 & TP-413H / TP-630 & TP-630H  
 EP-250 & EP-300 & EP-400



| For Standard Copper Terminal |       | For DIN 46235 Copper Terminal |       | For DIN 48201 Aluminum Terminal |          | MW Type For Standard Copper |       | For Australia Copper Terminal |       | For Australia Aluminum Terminal |       |
|------------------------------|-------|-------------------------------|-------|---------------------------------|----------|-----------------------------|-------|-------------------------------|-------|---------------------------------|-------|
| Dies No.                     |       | Dies No.                      |       |                                 | Cord No. | Dies No.                    |       | Dies No.                      |       | Dies No.                        |       |
| B3006                        | CU6   |                               |       |                                 |          |                             |       |                               |       |                                 |       |
| B3010                        | CU10  | D3010                         | CU10  | AL6                             | K6       |                             |       |                               |       |                                 |       |
| B3016                        | CU16  | D3016                         | CU16  | AL10                            | K8       |                             |       | NC3016                        | CU16  | NA3016                          | AL16  |
| B3025                        | CU25  | D3025                         | CU25  | AL16                            | K10      |                             |       | NC3025                        | CU25  | NA3025                          | AL25  |
| B3035                        | CU35  | D3035                         | CU35  | AL25                            | K12      | MW3035                      | CU35  | NC3035                        | CU35  | NA3035                          | AL35  |
| B3050                        | CU50  | D3050                         | CU50  | AL35                            | K14      | MW3050                      | CU50  | NC3050                        | CU50  | NA3050                          | AL50  |
| B3070                        | CU70  | D3070                         | CU70  | AL50                            | K16      | MW3070                      | CU70  | NC3070                        | CU70  | NA3070                          | AL70  |
| B3095                        | CU95  | D3095                         | CU95  | AL70                            | K18      | MW3095                      | CU95  | NC3095                        | CU95  | NA3095                          | AL95  |
| B30120                       | CU120 | D30120                        | CU120 | AL95                            | K20      | MW30120                     | CU120 | NC30120                       | CU120 | NA30120                         | AL120 |
| B30150                       | CU150 | D30150                        | CU150 | AL120                           | K22      | MW30150                     | CU150 | NC30150                       | CU150 | NA30150                         | AL150 |
| B30185                       | CU185 | D30185                        | CU185 | AL150                           | K25      | MW30185                     | CU185 | NC30185                       | CU185 | NA30185                         | AL185 |
| B30240                       | CU240 | D30240                        | CU240 | AL185                           | K28      | MW30240                     | CU240 | NC30240                       | CU240 | NA30240                         | AL240 |
| B30300                       | CU300 | D30300                        | CU300 | AL240                           | K32      | MW30300                     | CU300 | NC30300                       | CU300 | NA30300                         | AL300 |
| B30400                       | CU400 | D30400                        | CU400 | AL300                           | K38      | MW30400                     | CU400 | NC30400                       | CU400 |                                 |       |

## R22 TYPE

### Hexagonal Dies

For CX-22 & TP-22 & EP-22 & TK-22



| For Standard Copper Terminal |       | For DIN 46235 Copper Terminal |       | For DIN 48201 Aluminum Terminal |          | MW Type  |       | For Australia Copper Terminal |       | For Australia Aluminum Terminal |       |
|------------------------------|-------|-------------------------------|-------|---------------------------------|----------|----------|-------|-------------------------------|-------|---------------------------------|-------|
| Dies No.                     |       | Dies No.                      |       |                                 | Cord No. | Dies No. |       | Dies No.                      |       | Dies No.                        |       |
|                              |       |                               |       |                                 |          | MW2206   | CU6   |                               |       |                                 |       |
| B2210                        | CU10  | D2210                         | CU10  | AL6                             | K6       | MW2210   | CU10  |                               |       |                                 |       |
| B2216                        | CU16  | D2216                         | CU16  | AL10                            | K8       | MW2216   | CU16  | NC2216                        | CU16  | NA2216                          | AL16  |
| B2225                        | CU25  | D2225                         | CU25  | AL16                            | K10      | MW2225   | CU25  | NC2225                        | CU25  | NA2225                          | AL25  |
| B2235                        | CU35  | D2235                         | CU35  | AL25                            | K12      | MW2235   | CU35  | NC2235                        | CU35  | NA2235                          | AL35  |
| B2250                        | CU50  | D2250                         | CU50  | AL35                            | K14      | MW2250   | CU50  | NC2250                        | CU50  | NA2250                          | AL50  |
| B2270                        | CU70  | D2270                         | CU70  | AL50                            | K16      | MW2270   | CU70  | NC2270                        | CU70  | NA2270                          | AL70  |
| B2295                        | CU95  | D2295                         | CU95  | AL70                            | K18      | MW2295   | CU95  | NC2295                        | CU95  | NA2295                          | AL95  |
| B22120                       | CU120 | D22120                        | CU120 | AL95                            | K20      | MW22120  | CU120 | NC22120                       | CU120 | NA22120                         | AL120 |
| B22150                       | CU150 | D22150                        | CU150 | AL120                           | K22      | MW22150  | CU150 | NC22150                       | CU150 | NA22150                         | AL150 |
| B22185                       | CU185 | D22185                        | CU185 | AL150                           | K25      | MW22185  | CU185 | NC22185                       | CU185 | NA22185                         | AL185 |
| B22240                       | CU240 | D22240                        | CU240 | AL185                           | K28      | MW22240  | CU240 | NC22240                       | CU240 | NA22240                         | AL240 |
| B22300                       | CU300 | D22300                        | CU300 | AL240                           | K32      | MW22300  | CU300 | NC22300                       | CU300 | NA22300                         | AL300 |

## R18 TYPE

### Hexagonal Dies

For THX-185 & THX-185H & KH-185 & RHX-185 & EP-185



| For Standard Copper Terminal |          | For DIN 46235 Copper Terminal |          | For DIN 48201 Aluminum Terminal |          | MW Type For Standard Copper |          | For Australia Copper Terminal |           | For Australia Aluminum Terminal |         |
|------------------------------|----------|-------------------------------|----------|---------------------------------|----------|-----------------------------|----------|-------------------------------|-----------|---------------------------------|---------|
| Dies No.                     |          | Dies No.                      |          |                                 | Cord No. | Dies No.                    |          | Dies No.                      |           | Dies No.                        |         |
| B1801                        | CU10/16  | D1801                         | CU10/16  | AL6/10                          | K6/8     | MW1801                      | CU10/16  | NC1801                        | CU10/16   |                                 |         |
| B1802                        | CU25/35  | D1802                         | CU25/35  | AL16/25                         | K10/12   | MW1802                      | CU25/35  | NC1802                        | CU16/25   | NA1802                          | AL16/25 |
| B1803                        | CU50/70  | D1803                         | CU50/70  | AL35/50                         | K14/16   | MW1803                      | CU50/70  | NC1803                        | CU35/50   | NA1803                          | AL35/50 |
| B1804                        | CU95/120 | D1804                         | CU95/120 | AL70/95                         | K18/20   | MW1804                      | CU95/120 | NC1804                        | CU70/95   | NA1804                          | AL70/95 |
| B1805                        | CU150    | D1805                         | CU150    | AL120                           | K22      | MW1805                      | CU150    | NC1805                        | CU120/150 | NA1805                          | AL120   |
| B1806                        | CU185/6  | D1806                         | CU185    | AL150                           | K25      | MW1806                      | CU185    | NC1806                        | CU185     |                                 |         |

# HEXAGONAL DIES

## R63 TYPE

### Hexagonal Dies

For TP-600 & TP-630H



| For Standard Copper Terminal |       |
|------------------------------|-------|
| Dies No.                     |       |
| B63500                       | CU500 |
| B63630                       | CU630 |

## R80 TYPE

### Hexagonal Dies

For TP-800H



| For Standard Copper Terminal |       |
|------------------------------|-------|
| Dies No.                     |       |
| B80500                       | CU500 |
| B80630                       | CU630 |

## R90 TYPE

### Hexagonal Dies

For TP-900H



| For Standard Copper Terminal |       | For DIN 46235 Copper Terminal |       |
|------------------------------|-------|-------------------------------|-------|
| Dies No.                     |       | Dies No.                      |       |
| B90500                       | CU500 | D90500                        | CU500 |
| B90630                       | CU630 | D90630                        | CU630 |

## R19 TYPE

### Hexagonal Dies

For TP-80 & TP-80FR & EP-80  
THX-240 & THX-240H & EP-240



| For Standard Copper Terminal |          | For DIN 46235 Copper Terminal |          | For DIN 48201 Aluminum Terminal |          |
|------------------------------|----------|-------------------------------|----------|---------------------------------|----------|
| Dies No.                     |          | Dies No.                      |          |                                 | Cord No. |
| B8001                        | CU10/16  | D8001                         | CU10/16  | AL6/10                          | K6/8     |
| B8002                        | CU25/35  | D8002                         | CU25/35  | AL16/25                         | K10/12   |
| B8003                        | CU50/70  | D8003                         | CU50/70  | AL35/50                         | K14/16   |
| B8004                        | CU95/120 | D8004                         | CU95/120 | AL70/95                         | K18/20   |
| B8005                        | CU150    | D8005                         | CU150    | AL120                           | K22      |
| B8006                        | CU185    | D8006                         | CU185    | AL150                           | K25      |
| B8007                        | CU240    | D8007                         | CU240    | AL185                           | K28      |
| B8008                        | CU300    |                               |          |                                 |          |

## 58 TYPE

### Hexagonal Dies

For TP-58A & TP-58FR & EP-58



| For Standard Copper Terminal |       | For DIN 46235 Copper Terminal |       | For DIN 48201 Aluminum Terminal |          |
|------------------------------|-------|-------------------------------|-------|---------------------------------|----------|
| Dies No.                     |       | Dies No.                      |       |                                 | Cord No. |
| B5810                        | CU10  | D5810                         | CU10  | AL6                             | K6       |
| B5816                        | CU16  | D5816                         | CU16  | AL10                            | K8       |
| B5825                        | CU25  | D5825                         | CU25  | AL16                            | K10      |
| B5835                        | CU35  | D5835                         | CU35  | AL25                            | K12      |
| B5850                        | CU50  | D5850                         | CU50  | AL35                            | K14      |
| B5870                        | CU70  | D5870                         | CU70  | AL50                            | K16      |
| B5895                        | CU95  | D5895                         | CU95  | AL70                            | K18      |
| B58120                       | CU120 | D58120                        | CU120 | AL95                            | K20      |
| B58150                       | CU150 | D58150                        | CU150 | AL120                           | K22      |
| B58185                       | CU185 | D58185                        | CU185 | AL150                           | K25      |
| B58240                       | CU240 |                               |       |                                 |          |

## 24 TYPE

### Hexagonal Dies

For CX-1 & RHX-240



| For Standard Copper Terminal |       | For DIN 46235 Copper Terminal |       | For DIN 48201 Aluminum Terminal |          |
|------------------------------|-------|-------------------------------|-------|---------------------------------|----------|
| Dies No.                     |       | Dies No.                      |       |                                 | Cord No. |
| B2401                        | CU10  | D2401                         | CU10  |                                 |          |
| B2402                        | CU16  | D2402                         | CU16  |                                 |          |
| B2403                        | CU25  | D2403                         | CU25  | AL16                            | K10      |
| B2404                        | CU35  | D2404                         | CU35  | AL25                            | K12      |
| B2405                        | CU50  | D2405                         | CU50  | AL35                            | K14      |
| B2406                        | CU70  | D2406                         | CU70  | AL50                            | K16      |
| B2407                        | CU95  | D2407                         | CU95  | AL70                            | K18      |
| B2408                        | CU120 | D2408                         | CU120 | AL95                            | K20      |
| B2409                        | CU150 | D2409                         | CU150 | AL120                           | K22      |
| B2410                        | CU185 | D2410                         | CU185 | AL150                           | K25      |
| B2411                        | CU240 | D2411                         | CU240 | AL185                           | K28      |
| B2412                        | CU300 |                               |       |                                 |          |

## 35 TYPE

### Hexagonal Dies

For THX-325 & THX-325H & KH-325 & RHX-400



| For Standard Copper Terminal |       | For DIN 46235 Copper Terminal |       | For DIN 48201 Aluminum Terminal |          |
|------------------------------|-------|-------------------------------|-------|---------------------------------|----------|
| Dies No.                     |       | Dies No.                      |       |                                 | Cord No. |
| B3510                        | CU10  | D3510                         | CU10  | AL6                             | K6       |
| B3516                        | CU16  | D3516                         | CU16  | AL10                            | K8       |
| B3525                        | CU25  | D3525                         | CU25  | AL16                            | K10      |
| B3535                        | CU35  | D3535                         | CU35  | AL25                            | K12      |
| B3550                        | CU50  | D3550                         | CU50  | AL35                            | K14      |
| B3570                        | CU70  | D3570                         | CU70  | AL50                            | K16      |
| B3595                        | CU95  | D3595                         | CU95  | AL70                            | K18      |
| B35120                       | CU120 | D35120                        | CU120 | AL95                            | K20      |
| B35150                       | CU150 | D35150                        | CU150 | AL120                           | K22      |
| B35185                       | CU185 | D35185                        | CU185 | AL150                           | K25      |
| B35240                       | CU240 | D35240                        | CU240 | AL185                           | K28      |
| B35300                       | CU300 | D35300                        | CU300 | AL240                           | K32      |
| B35400                       | CU400 | D35400                        | CU400 | AL300                           | K38      |

## Deep Indent dies

For TP-413 & TP-413H & EP-413

| Dies No.      | For Aluminum Terminal          |
|---------------|--------------------------------|
| MA25          | AL25-35                        |
| DF4151        | AL35-50                        |
| DF4152(MA95)  | AL50-95                        |
| DF4161(MA150) | AL120-150                      |
| DF4162(MA240) | AL185-240                      |
| P25           | AL25-35                        |
| DM4151        | AL35-50                        |
| DM4152(P95)   | AL50-95                        |
| DM4161(P150)  | AL120-150                      |
| DM4162(P240)  | AL185-240                      |
|               | For Aluminum Through Connector |
| LA25          | AL25-35                        |
| LF4151        | AL35-50                        |
| LF4152(LA95)  | AL50-95                        |
| LF4161(LA150) | AL120-150                      |
| LF4162(LA240) | AL185-240                      |



DF Type



DM Type



LF Type

DF Type



LF Type



## AR-415 Dies Adaptor

For TP-413 & TP-413H

For Deep Indent dies

DF4151 & DF4152 & LF4151 & LF4152



## AR-416 Dies Adaptor

For TP-413 & TP-413H

For Deep Indent dies

DF4161 & DF4162 & LF4161 & LF4162



## AR-4 Dies Adaptor

For TP-413 & TP-413H & EP-413

For Deep Indent dies

DM4151 & DM4152 & DM4161 & DM4162



## AR-413 Dies Adaptor

For TP-413 & TP-413H & EP-413

For R30 Type Dies



## Pre-Rounding Dies

For TP-413 & TP-413H & EP-413



RF Type

| Dies No.     | For Aluminum Terminal |
|--------------|-----------------------|
| RF4151(R25)  | AL25                  |
| RF4152(R70)  | AL70                  |
| RF4161(R120) | AL120                 |
| RF4162(R185) | AL185                 |



RF4151



RF4152



RF4161



RF4162

CRIMPING






# PRE-ROUNDING DIES / INDENT DIES

## Dies Set

For Branch Connector (C-Connector)



| DIE NO           | DIE NO  | DIE NO  | CABLE SIZE                       |
|------------------|---------|---------|----------------------------------|
| T1801<br>(20/26) | T58 20  | T30 20  | 6 >-----< 10<br>10 >-----< 6     |
|                  | T58 26  | T30 26  | 16 >-----< 10<br>10 >-----< 16   |
| T1802<br>(44/60) | T58 44  | T30 44  | 25 >-----< 16<br>16 >-----< 25   |
|                  | T58 60  | T30 60  | 35 >-----< 25<br>25 >-----< 35   |
| T1803<br>(76/98) | T58 76  | T30 76  | 50 >-----< 25<br>35 >-----< 35   |
|                  | T58 98  | T30 98  | 70 >-----< 35<br>50 >-----< 50   |
| T1805 (122)      | T58 122 | T30 122 | 95 >-----< 35<br>70 >-----< 50   |
|                  |         | T30 154 | 120 >-----< 35<br>95 >-----< 50  |
|                  |         | T30 240 | 150 >-----< 70<br>120 >-----< 95 |
|                  |         | T30 300 | 185 >-----< 95<br>150 >-----< 25 |
|                  |         | T30 365 | 240 >-----< 120                  |

## T18 Type

For THX-185 & THX-185H  
KH-185 & EP-185



## T30 Type

For TP-400 & TP-300 & TP-240  
TP-400H & TP-300H & TP-240H  
TP-800H & EP-400 & EP-300 & EP-250



## T58 Type

For TP-58A & TP-58FR & EP-58



## Dies Set

For H-Tap Connector  
(For Taiwan Electricity)

| DIE NO |                                     |
|--------|-------------------------------------|
| U-BG   | #6 - #8                             |
| U-O    | #2 >-----< #6<br>#2 >-----< #6      |
| U-D    | 2/0 >-----< #1/2<br>4/0 >-----< 4/0 |
| U-D3   | 250 >-----< 2/0<br>2/0 >-----< #4   |
| U-N    | 4/0 >-----< 2/0<br>477 >-----< 477  |


## Dies Set

For Copper Sleeves  
(For Taiwan Electricity)

| Dies No. | CABLE SIZE |
|----------|------------|
| U 1CRT   | #1 CU      |
| U 25RT   | 1/0 CU     |
| U 26RT   | 2/0 CU     |
| U 27RT   | #1 CU      |
| U 29RT   | 250 MCM    |
| U 34RT   | 500 MCM    |

## R12 TYPE U-Type

For Copper Sleeves  
12 Tons Tools Use  
TP-400 & TP-400H & EP-400  
TP-300 & TP-300H & EP-300



| Dies No. | A(mm) | B(mm) | C(mm) | CABLE SIZE |
|----------|-------|-------|-------|------------|
| R12-25RT | Ø10.7 | 5.5   | 12.7  | AWG 1/0    |
| R12-26RT | Ø11.7 | 5.9   | 12.7  | AWG 2/0    |
| R12-27RT | Ø12.7 | 6.5   | 12.7  | AWG 3/0    |
| R12-28RT | Ø13   | 6.4   | 12.7  | AWG 4/0    |
| R12-29RT | Ø15.9 | 8.9   | 12.4  | 250MCM     |
| R12-30RT | Ø17.3 | 8.6   | 9.5   | 300MCM     |
| R12-31RT | Ø18.7 | 9.3   | 10.5  | 350MCM     |
| R12-32RT | Ø20.2 | 10.8  | 9.5   | 400MCM     |
| R12-34RT | Ø22   | 10.7  | 9.4   | 500MCM     |
| R12-39RT | Ø23.7 | 12.9  | 7.4   | 750MCM     |

## U30 Type

For TP-400 & TP-400H & EP-400  
TP-300 & TP-300H & EP-300  
TP-240 & TP-240H  
TP-413 & TP-413H  
TP-800H & EP-250



## Dies Set

For Insulated Terminal & Connector

| Dies No. | Female ♀ | Dies No. | Male ♂ |
|----------|----------|----------|--------|
| IS 1801  | 10/16    | IS 1810  | 10     |
| IS 1802  | 25       | IS 1816  | 16     |
| IS 1803  | 35       | IS 1825  | 25     |
| IS 1804  | 50       | IS 1835  | 35     |
|          |          | IS 1850  | 50     |

## INS Type



For THX-185 & THX-185H  
KH-185 & RHX-185 & EP-185



## Pre-Rounding Dies

For Sector-shaped AL & CU Conductor

| PR30 Type |       | PR35 Type |       | PR58 Type |       | PR18 Type |           |
|-----------|-------|-----------|-------|-----------|-------|-----------|-----------|
| Dies No.  |       | Dies No.  |       | Dies No.  |       | Dies No.  |           |
|           |       | PR3510    | CU10  | PR5810    | CU10  | PR1801    | CU10/185  |
| PR3016    | CU16  | PR3516    | CU16  | PR5816    | CU16  | PR1802    | CU16/25   |
| PR3025    | CU25  | PR3525    | CU25  | PR5825    | CU25  | PR1803    | CU35/50   |
| PR3035    | CU35  | PR3535    | CU35  | PR5835    | CU35  | PR1804    | CU70/95   |
| PR3050    | CU50  | PR3550    | CU50  | PR5850    | CU50  | PR1805    | CU120/150 |
| PR3070    | CU70  | PR3570    | CU70  | PR5870    | CU70  |           |           |
| PR3095    | CU95  | PR3595    | CU95  | PR5895    | CU95  |           |           |
| PR30120   | CU120 | PR35120   | CU120 | PR58120   | CU120 |           |           |
| PR30150   | CU150 | PR35150   | CU150 | PR58150   | CU150 |           |           |
| PR30185   | CU185 | PR35185   | CU185 | PR58185   | CU185 |           |           |
| PR30240   | CU240 | PR35240   | CU240 | PR58240   | CU240 |           |           |
| PR30300   | CU300 | PR35300   | CU300 |           |       |           |           |
| PR30400   | CU400 | PR35400   | CU400 |           |       |           |           |



### PR30 Type

For TP-400 & EP-400  
TP-300 & EP-300 & EP-250  
TP-240 & TP-630 & TP-800  
TP-413 & TP-413H

### PR58 Type

For TP-58A & TP-58FR

### PR18 Type

For THX-185 & THX-185H  
KH-185 & EP-185

### PR35 Type

For THX-325 & THX-325H & KH-325



## Indent dies

| IN30 Type     |       |             |         | IN58 Type     |        |             |        | IN18 Type     |       |             |        |
|---------------|-------|-------------|---------|---------------|--------|-------------|--------|---------------|-------|-------------|--------|
| Female Dies □ |       | Male Dies ▢ |         | Female Dies □ |        | Male Dies ▢ |        | Female Dies □ |       | Male Dies ▢ |        |
| IF3010        | CU10  | IM3010      | 10-25   | IF5801        | 16-35  | IM5801      | 16     | IF1801        | 10-35 | IM1801      | 10-16  |
| IF3016        | CU16  | IM3035      | 35-50   | IF5802        | 50-70  | IM5802      | 25     | IF1802        | 50    | IM1802      | 25-35  |
| IF3025        | CU25  | IM3070      | 70-120  | IF5803        | 95-120 | IM5803      | 35-70  | IF1803        | 70    | IM1803      | 50-120 |
| IF3035        | CU35  | IM30150     | 150-300 | IF5804        | 150    | IM5804      | 80-150 | IF1804        | 95    |             |        |
| IF3050        | CU50  |             |         |               |        |             |        | IF1805        | 120   |             |        |
| IF3070        | CU70  |             |         |               |        |             |        |               |       |             |        |
| IF3095        | CU95  |             |         |               |        |             |        |               |       |             |        |
| IF30120       | CU120 |             |         |               |        |             |        |               |       |             |        |
| IF30150       | CU150 |             |         |               |        |             |        |               |       |             |        |
| IF30185       | CU185 |             |         |               |        |             |        |               |       |             |        |
| IF30240       | CU240 |             |         |               |        |             |        |               |       |             |        |
| IF30300       | CU300 |             |         |               |        |             |        |               |       |             |        |

### IN58 Type

For TP-58A & TP-58FR

### IN30 Type

For TP-400 & TP-300 & TP-240  
TP-630 & TP-800  
TP-413 & TP-413H  
EP-250 & EP-300 & EP-400

### IN18 Type

For THX-185 & THX-185H  
KH-185 & RHX-185 & EP-185

